

## SEQUENCE LISTING

## (1) GENERAL INFORMATION:

(i) APPLICANT: Lobel, Peter  
Sleat, David E.

(ii) TITLE OF INVENTION: NOVEL HUMAN LYSOSOMAL PROTEIN AND  
METHODS OF ITS USE

(iii) NUMBER OF SEQUENCES: 12

## (iv) CORRESPONDENCE ADDRESS:

(A) ADDRESSEE: David A. Jackson, Esq.  
(B) STREET: 411 Hackensack Ave, Continental Plaza, 4th  
Floor  
(C) CITY: Hackensack  
(D) STATE: New Jersey  
(E) COUNTRY: USA  
(F) ZIP: 07601

## (v) COMPUTER READABLE FORM:

(A) MEDIUM TYPE: Floppy disk  
(B) COMPUTER: IBM PC compatible  
(C) OPERATING SYSTEM: PC-DOS/MS-DOS  
(D) SOFTWARE: PatentIn Release #1.0, Version #1.30

## (vi) CURRENT APPLICATION DATA:

(A) APPLICATION NUMBER: US  
(B) FILING DATE:  
(C) CLASSIFICATION:

## (viii) ATTORNEY/AGENT INFORMATION:

(A) NAME: Jackson Esq., David A.  
(B) REGISTRATION NUMBER: 26,742  
(C) REFERENCE/DOCKET NUMBER: 601-1-077

## (ix) TELECOMMUNICATION INFORMATION:

(A) TELEPHONE: 201-487-5800

(B) TELEFAX: 201-343-1684

## (2) INFORMATION FOR SEQ ID NO:1:

## (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 3487 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

CGCGGAAGGG CAGAATGGGA CTCCAAGCCT GCCTCCTAGG GCTCTTTGCC CTCATCCTCT	60
CTGGCAAATG CAGTTACAGC CCGGAGCCCG ACCAGCGGAG GACGCTGCCC CCAGGCTGGG	120
TGTCCCTGGG CCGTGCGGAC CCTGAGGAAG AGCTGAGTCT CACCTTTGCC CTGAGACAGC	180
AGAATGTGGA AAGACTCTCG GAGCTGGTGC AGGCTGTGTC GGATCCCAGC TCTCCTCAAT	240
ACGGAAAATA CCTGACCCTA GAGAATGTGG CTGATCTGGT GAGGCCATCC CCACTGACCC	300
TCCACACGGT GCAAAAATGG CTCTTGGCAG CCGGAGCCCA GAAGTGCCAT TCTGTGATCA	360
CACAGGACTT TCTGACTTGC TGGCTGAGCA TCCGACAAGC AGAGCTGCTG CTCCCTGGGG	420
CTGAGTTTCA TCACTATGTG GGAGGACCTA CGGAAACCCA TGTTGTAAGG TCCCCACATC	480

CCTACCAGCT TCCACAGGCC TTGGCCCCC ATGTGGACTT TGTGGGGGGA CTGCACCATT	540
TTCCCCCAAC ATCATCCCTG AGGCAACGTC CTGAGCCGCA GGTGACAGGG ACTGTAGGCC	600
TGCATCTGGG GGTAACCCCC TCTGTGATCC GTAAGCGATA CAACTTGACC TCACAAGACG	660
TGGGCTCTGG CACCAGCAAT AACAGCCAAG CCTGTGCCCA GTTCCTGGAG CAGTATTTCC	720
ATGACTCAGA CCTGGCTCAG TTCATGCGCC TCTTCGGTGG CAACTTTGCA CATCAGGCAT	780
CAGTAGCCCCG TGTGGTTGGA CAACAGGGCC GGGGCCGGGC CGGGATTGAG GCCAGTCTAG	840
ATGTGCAGTA CCTGATGAGT GCTGGTGCCA ACATCTCCAC CTGGGTCTAC AGTAGCCCTG	900
GCCGGCATGA GGGACAGGAG CCCTTCCTGC AGTGGCTCAT GCTGCTCAGT AATGAGTCAG	960
CCCTGCCACA TGTGCATACT GTGAGCTATG GAGATGATGA GGA CTCCCTC AGCAGCGCCT	1020
ACATCCAGCG GGTCAACACT GAGCTCATGA AGGCTGCTGC TCGGGGTCTC ACCCTGCTCT	1080
TCGCCTCAGG TGACAGTGGG GCCGGGTGTT GGTCTGTCTC TGGAAGACAC CAGTTCCGCC	1140
CTACCTTCCC TGCCTCCAGC CCCTATGTCA CCACAGTGGG AGGCACATCC TTCCAGGAAC	1200
CTTTCCTCAT CACAAATGAA ATTGTTGACT ATATCAGTGG TGGTGGCTTC AGCAATGTGT	1260
TCCCACGGCC TTCATACCAG GAGGAAGCTG TAACGAAGTT CCTGAGCTCT AGCCCCCACC	1320
TGCCACCATC CAGTTACTTC AATGCCAGTG GCCGTGCCTA CCCAGATGTG GCTGCACTTT	1380
CTGATGGCTA CTGGGTGGTC AGCAACAGAG TGCCCATTC ATGGGTGTCC GGAACCTCGG	1440
CCTCTACTCC AGTGTTTGGG GGGATCCTAT CCTTGATCAA TGAGCACAGG ATCCTTAGTG	1500
GCCGCCCCC TCTTGGCTTT CTCAACCCAA GGCTCTACCA GCAGCATGGG GCAGGACTCT	1560
TTGATGTAAC CCGTGGCTGC CATGAGTCCT GTCTGGATGA AGAGGTAGAG GGCCAGGGTT	1620

TCTGCTCTGG TCCTGGCTGG GATCCTGTAA CAGGCTGGGG AACACCCAAC TTCCCAGCTT	1680
TGCTGAAGAC TCTACTCAAC CCCTGACCCT TTCCTATCAG GAGAGATGGC TTGTCCCCTG	1740
CCCTGAAGCT GGCAGTTCAG TCCCTTATTC TGCCCTGTTG GAAGCCCTGC TGAACCCTCA	1800
ACTATTGACT GCTGCAGACA GCTTATCTCC CTAACCCTGA AATGCTGTGA GCTTGACTTG	1860
ACTCCCAACC CTACCATGCT CCATCATACT CAGGTCTCCC TACTCCTGCC TTAGATTCCCT	1920
CAATAAGATG CTGTAACTAG CATTTTTTGA ATGCCTCTCC CTCCGCATCT CATCTTTCTC	1980
TTTTCAATCA GGCTTTTCCA AAGGGTTGTA TACAGACTCT GTGCACTATT TCACTTGATA	2040
TTCATTCCCC AATTCACTGC AAGGAGACCT CTA CTGTCAC CGTTTACTCT TTCCTACCCT	2100
GACATCCAGA AACAATGGCC TCCAGTGCAT ACTTCTCAAT CTTTGCTTTA TGGCCTTTCC	2160
ATCATAGTTG CCCACTCCCT CTCCTTACTT AGCTTCCAGG TCTTAACTTC TCTGACTACT	2220
CTTGTCTTCC TCTCTCATCA ATTTCTGCTT CTTTCATGGAA TGCTGACCTT CATTGCTCCA	2280
TTTGTAGATT TTTGCTCTTC TCAGTTTACT CATTGTCCCC TGGAAACAAAT CACTGACATC	2340
TACAACCATT ACCATCTCAC TAAATAAGAC TTTCTATCCA ATAATGATTG ATACCTCAAA	2400
TGTAAGATGC GTGATACTCA ACATTTCATC GTCCACCTTC CCAACCCCAA ACAATTCCAT	2460
CTCGTTTCTT CTTGGTAAAT GATGCTATGC TTTTTC AAC CAAGCCAGAA ACCTGTGTCA	2520
TCTTTTCACC CCACCTTCAA TCAACAAGTC CTCAATCAAC AAGTCCTACT GACTGCACAT	2580
CTTAAATATA TCTTTATCAG TCCACAAGTC CTTCCAATTA TATTTCCCAA GTATATCTAG	2640
AACTTATCCA CTTATATCCC CACTGCTACT ACCTTAGTTT AGGGCTATAT TCTCTTGAAA	2700
AAAAGTGTCC TTA CTTCCTG CCAATCCCCA AGTCATCTTC CAGAGTAAAA TGCAAATCCC	2760

ATCAGGCCAC TTGGATGAAA ACCCTTCAAG GATTACTGGA TAGAATTCAG GCTTTCCCCT	2820
CCASCCCCCA ATCATAGCTC ACAAACCTTC CTTGCTATTT GTTCTTAAGT AAAAAATCAT	2880
TTTTCTCCT CCCTCCCCAA ACCCCAAGGA ACTCTCACTC TTGCTCAAGC TGTTCCGTCC	2940
CCTTACCACC CCTGATACAA CTGCCAGGTT AATTTCAGA ATTCTTGCAA GACTCAGTTC	3000
AGAAGTCACC TTCTTTCGTG AATGTTTTGA TTCCCTGAGG CTACTTTATT TTGGTATGGC	3060
TGAAAAATCC TAGATTTTCT AAACAAAACC TGTTTGAATC TTGGTTCTGA TATGGACTAG	3120
GAGAGAGACT GGGTCAAGTA AGCTTATCTC CCTGAGGCTG TTCCTCGTC TGTTAAGTGT	3180
GAATATCAAT ACCTGCCTTT CATAATCACC AGGGAATAAA GTGGAATAAT GTTGATAACA	3240
GTGCTTGGCA CCTGGAAGTA GGTGGCAGAT GTTAACGCCC TTCCTCCCTT GCACTGCGCC	3300
CCCTGTGCCT ACCTCTAGCA TTGTAACGAC CACATAGTAT TGAAATGGCC AGTTTACTTG	3360
TCTGCCTTCC TTTCCAAGAC CGTTGGTGCC TAGAGGACTA GAATCGTGTC CTATTAACT	3420
TTGTGTTCCC AGGTCCTAGC TCAGGAGTTG GCAAATAAGA ATTAAATGTC TGCTACACCG	3480
AAACAAA	3487

(2) INFORMATION FOR SEQ ID NO:2:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2520 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

CGCGGAAGGG CAGAATGGGA CTCCAAGCCT GCCTCCTAGG GCTCTTTGCC CTCATCCTCT	60
CTGGCAAATG CAGTTACAGC CCGGAGCCCG ACCAGCGGAG GACGCTGCCC CCAGGCTGGG	120
TGTCCCTGGG CCGTGCGGAC CCTGAGGAAG AGCTGAGTCT CACCTTTGCC CTGAGACAGC	180
AGAATGTGGA AAGACTCTCG GAGCTGGTGC AGGCTGTGTC GGATCCCAGC TCTCCTCAAT	240
ACGGAAAATA CCTGACCCTA GAGAATGTGG CTGATCTGGT GAGGCCATCC CCACTGACCC	300
TCCACACGGT GCAAAAATGG CTCTTGGCAG CCGGAGCCCA GAAGTGCCAT TCTGTGATCA	360
CACAGGACTT TCTGACTTGC TGGCTGAGCA TCCGACAAGC AGAGCTGCTG CTCCCTGGGG	420
CTGAGTTTCA TCACTATGTG GGAGGACCTA CGGAAACCCA TGTTGTAAGG TCCCCACATC	480
CCTACCAGCT TCCACAGGCC TTGGCCCCC ATGTGGACTT TGTGGGGGGA CTGCACCATT	540
TTCCCCAAC ATCATCCCTG AGGCAACGTC CTGAGCCGCA GGTGACAGGG ACTGTAGGCC	600
TGCATCTGGG GGTAACCCCC TCTGTGATCC GTAAGCGATA CAACTTGACC TCACAAGACG	660
TGGGCTCTGG CACCAGCAAT AACAGCCAAG CCTGTGCCCA GTTCCTGGAG CAGTATTTCC	720
ATGACTCAGA CCTGGCTCAG TTCATGCGCC TCTTCGGTGG CAACTTTGCA CATCAGGCAT	780
CAGTAGCCCG TGTGGTTGGA CAACAGGGCC GGGGCCGGGC CGGGATTGAG GCCAGTCTAG	840
ATGTGCAGTA CCTGATGAGT GCTGGTGCCA ACATCTCCAC CTGGGTCTAC AGTAGCCCTG	900
GCCGGCATGA GGGACAGGAG CCCTTCCTGC AGTGGCTCAT GCTGCTCAGT AATGAGTCAG	960

CCCTGCCACA TGTGCATACT GTGAGCTATG GAGATGATGA GGACTCCCTC AGCAGCGCCT	1020
ACATCCAGCG GGTCAACACT GAGCTCATGA AGGCTGCTGC TCGGGGTCTC ACCCTGCTCT	1080
TCGCCTCAGG TGACAGTGGG GCCGGGTGTT GGTCTGTCTC TGGAAGACAC CAGTTCCGCC	1140
CTACCTTCCC TGCCTCCAGC CCCTATGTCA CCACAGTGGG AGGCACATCC TTCCAGGAAC	1200
CTTTCCTCAT CACAAATGAA ATTGTTGACT ATATCAGTGG TGGTGGCTTC AGCAATGTGT	1260
TCCCACGGCC TTCATACCAG GAGGAAGCTG TAACGAAGTT CCTGAGCTCT AGCCCCCACC	1320
TGCCACCATC CAGTTACTTC AATGCCAGTG GCCGTGCCTA CCCAGATGTG GCTGCACTTT	1380
CTGATGGCTA CTGGGTGGTC AGCAACAGAG TGCCCATTC ATGGGTGTCC GGAACCTCGG	1440
CCTCTACTCC AGTGTTTGGG GGGATCCTAT CCTTGATCAA TGAGCACAGG ATCCTTAGTG	1500
GCCGCCCCC TCTTGGCTTT CTCAACCCAA GGCTCTACCA GCAGCATGGG GCAGGACTCT	1560
TTGATGTAAC CCGTGGCTGC CATGAGTCCT GTCTGGATGA AGAGGTAGAG GGCCAGGGTT	1620
TCTGCTCTGG TCCTGGCTGG GATCCTGTAA CAGGCTGGGG AACACCCAAC TTCCAGCTT	1680
TGCTGAAGAC TCTACTCAAC CCCTGACCCT TTCCTATCAG GAGAGATGGC TTGTCCCCTG	1740
CCCTGAAGCT GGCAGTTCAG TCCCTTATTC TGCCCTGTTG GAAGCCCTGC TGAACCCTCA	1800
ACTATTGACT GCTGCAGACA GCTTATCTCC CTAACCCTGA AATGCTGTGA GCTTGACTTG	1860
ACTCCCAACC CTACCATGCT CCATCATACT CAGGTCTCCC TACTCCTGCC TTAGATTCTT	1920
CAATAAGATG CTGTAAGTAG CATTTTTTGA ATGCCTCTCC CTCCGCATCT CATCTTTCTC	1980
TTTTCAATCA GGCTTTTCCA AAGGGTTGTA TACAGACTCT GTGCACTATT TCACTTGATA	2040
TTCATTCCCC AATTCAGTGC AAGGAGACCT CTAAGTGCAC CGTTTACTCT TTCCTACCCT	2100

```

GACATCCAGA AACAAATGGCC TCCAGTGCAT ACTTCTCAAT CTTTGCTTTA TGGCCTTTCC      2160
ATCATAGTTG CCCACTCCCT CTCCTTACTT AGCTTCCAGG TCTTAACTTC TCTGACTACT      2220
CTTGTCTTCC TCTCTCATCA ATTTCTGCTT CTCATGGAA TGCTGACCTT CATTGCTCCA      2280
TTTGTAGATT TTTGCTCTTC TCAGTTTACT CATTGTCCCC TGGAACAAAT CACTGACATC      2340
TACAACCATT ACCATCTCAC TAAATAAGAC TTTCTATCCA ATAATGATTG ATACCTCAAA      2400
TGTAAGATGC GTGATACTCA ACATTTTCATC GTCCACCTTC CCAACCCCAA ACAATTCCAT      2460
CTCGTTTCTT CTTGGTAAAT GATGCTATGC TTTTCCAAC CAAAAAAAAA AAAAAAAAAA      2520

```

(2) INFORMATION FOR SEQ ID NO:3:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 567 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

```

Arg Lys Gly Arg Met Gly Leu Gln Ala Cys Leu Leu Gly Leu Phe Ala
1              5              10              15

Leu Ile Leu Ser Gly Lys Cys Ser Tyr Ser Pro Glu Pro Asp Gln Arg
20              25              30

```



Arg Thr Leu Pro Pro Gly Trp Val Ser Leu Gly Arg Ala Asp Pro Glu			
35	40	45	
Glu Glu Leu Ser Leu Thr Phe Ala Leu Arg Gln Gln Asn Val Glu Arg			
50	55	60	
Leu Ser Glu Leu Val Gln Ala Val Ser Asp Pro Ser Ser Pro Gln Tyr			
65	70	75	80
Gly Lys Tyr Leu Thr Leu Glu Asn Val Ala Asp Leu Val Arg Pro Ser			
	85	90	95
Pro Leu Thr Leu His Thr Val Gln Lys Trp Leu Leu Ala Ala Gly Ala			
	100	105	110
Gln Lys Cys His Ser Val Ile Thr Gln Asp Phe Leu Thr Cys Trp Leu			
	115	120	125
Ser Ile Arg Gln Ala Glu Leu Leu Leu Pro Gly Ala Glu Phe His His			
	130	135	140
Tyr Val Gly Gly Pro Thr Glu Thr His Val Val Arg Ser Pro His Pro			
145	150	155	160
Tyr Gln Leu Pro Gln Ala Leu Ala Pro His Val Asp Phe Val Gly Gly			
	165	170	175
Leu His His Phe Pro Pro Thr Ser Ser Leu Arg Gln Arg Pro Glu Pro			
	180	185	190
Gln Val Thr Gly Thr Val Gly Leu His Leu Gly Val Thr Pro Ser Val			
	195	200	205
Ile Arg Lys Arg Tyr Asn Leu Thr Ser Gln Asp Val Gly Ser Gly Thr			
	210	215	220
Ser Asn Asn Ser Gln Ala Cys Ala Gln Phe Leu Glu Gln Tyr Phe His			

225	230	235	240
Asp Ser Asp Leu Ala Gln Phe Met Arg Leu Phe Gly Gly Asn Phe Ala			
245	250	255	
His Gln Ala Ser Val Ala Arg Val Val Gly Gln Gln Gly Arg Gly Arg			
260	265	270	
Ala Gly Ile Glu Ala Ser Leu Asp Val Gln Tyr Leu Met Ser Ala Gly			
275	280	285	
Ala Asn Ile Ser Thr Trp Val Tyr Ser Ser Pro Gly Arg His Glu Gly			
290	295	300	
Gln Glu Pro Phe Leu Gln Trp Leu Met Leu Leu Ser Asn Glu Ser Ala			
305	310	315	320
Leu Pro His Val His Thr Val Ser Tyr Gly Asp Asp Glu Asp Ser Leu			
325	330	335	
Ser Ser Ala Tyr Ile Gln Arg Val Asn Thr Glu Leu Met Lys Ala Ala			
340	345	350	
Ala Arg Gly Leu Thr Leu Leu Phe Ala Ser Gly Asp Ser Gly Ala Gly			
355	360	365	
Cys Trp Ser Val Ser Gly Arg His Gln Phe Arg Pro Thr Phe Pro Ala			
370	375	380	
Ser Ser Pro Tyr Val Thr Thr Val Gly Gly Thr Ser Phe Gln Glu Pro			
385	390	395	400
Phe Leu Ile Thr Asn Glu Ile Val Asp Tyr Ile Ser Gly Gly Gly Phe			
405	410	415	
Ser Asn Val Phe Pro Arg Pro Ser Tyr Gln Glu Glu Ala Val Thr Lys			
420	425	430	

Phe Leu Ser Ser Ser Pro His Leu Pro Pro Ser Ser Tyr Phe Asn Ala  
 435 440 445

Ser Gly Arg Ala Tyr Pro Asp Val Ala Ala Leu Ser Asp Gly Tyr Trp  
 450 455 460

Val Val Ser Asn Arg Val Pro Ile Pro Trp Val Ser Gly Thr Ser Ala  
 465 470 475 480

Ser Thr Pro Val Phe Gly Gly Ile Leu Ser Leu Ile Asn Glu His Arg  
 485 490 495

Ile Leu Ser Gly Arg Pro Pro Leu Gly Phe Leu Asn Pro Arg Leu Tyr  
 500 505 510

Gln Gln His Gly Ala Gly Leu Phe Asp Val Thr Arg Gly Cys His Glu  
 515 520 525

Ser Cys Leu Asp Glu Glu Val Glu Gly Gln Gly Phe Cys Ser Gly Pro  
 530 535 540

Gly Trp Asp Pro Val Thr Gly Trp Gly Thr Pro Asn Phe Pro Ala Leu  
 545 550 555 560

Leu Lys Thr Leu Leu Asn Pro  
 565

(2) INFORMATION FOR SEQ ID NO:4:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 587 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

Met Lys Ser Ser Ala Ala Lys Gln Thr Val Leu Cys Leu Asn Arg Tyr  
1                   5                   10                   15

Ala Val Val Ala Leu Pro Leu Ala Ile Ala Ser Phe Ala Ala Phe Gly  
                  20                   25                   30

Ala Ser Pro Ala Ser Thr Leu Trp Ala Pro Thr Asp Thr Lys Ala Phe  
                  35                   40                   45

Val Thr Pro Ala Gln Val Glu Ala Arg Ser Ala Ala Pro Leu Leu Glu  
                  50                   55                   60

Leu Ala Ala Gly Glu Thr Ala His Ile Val Val Ser Leu Lys Leu Arg  
65                   70                   75                   80

Asp Glu Ala Gln Leu Lys Gln Leu Ala Gln Ala Val Asn Gln Pro Gly  
                  85                   90                   95

Asn Ala Gln Phe Gly Lys Phe Leu Lys Arg Arg Gln Phe Leu Ser Gln  
                  100                   105                   110

Phe Ala Pro Thr Glu Ala Gln Val Gln Ala Val Val Ala His Leu Arg  
                  115                   120                   125

Lys Asn Gly Phe Val Asn Ile His Val Val Pro Asn Arg Leu Leu Ile  
                  130                   135                   140

Ser Ala Asp Gly Ser Ala Gly Ala Val Lys Ala Ala Phe Asn Thr Pro  
145                   150                   155                   160

Leu Val Arg Tyr Gln Leu Asn Gly Lys Ala Gly Tyr Ala Asn Thr Ala  
 165 170 175

Pro Ala Gln Val Pro Gln Asp Leu Gly Glu Ile Val Gly Ser Val Leu  
 180 195 190

Gly Leu Gln Asn Val Thr Arg Ala His Pro Met Leu Lys Val Gly Glu  
 195 200 205

Arg Ser Ala Ala Lys Thr Leu Ala Ala Gly Thr Ala Lys Gly His Asn  
 210 215 220

Pro Thr Glu Phe Pro Thr Ile Tyr Asp Ala Ser Ser Ala Pro Thr Ala  
 225 230 235 240

Ala Asn Thr Thr Val Gly Ile Ile Thr Ile Gly Gly Val Ser Gln Thr  
 245 250 255

Leu Gln Asp Leu Gln Gln Phe Thr Ser Ala Asn Gly Leu Ala Ser Val  
 260 265 270

Asn Thr Gln Thr Ile Gln Thr Gly Ser Ser Asn Gly Asp Tyr Ser Asp  
 275 280 285

Asp Gln Gln Gly Gln Gly Glu Trp Asp Leu Asp Ser Gln Ser Ile Val  
 290 295 300

Gly Ser Ala Gly Gly Ala Val Gln Gln Leu Leu Phe Tyr Met Ala Asp  
 305 310 315 320

Gln Ser Ala Ser Gly Asn Thr Gly Leu Thr Gln Ala Phe Asn Gln Ala  
 325 330 335

Val Ser Asp Asn Val Ala Lys Val Ile Asn Val Ser Leu Gly Trp Cys  
 340 345 350

Glu Ala Asp Ala Asn Ala Asp Gly Thr Leu Gln Ala Glu Asp Arg Ile

355	360	365
Phe Ala Thr Ala Ala Ala Gln Gly Gln Thr Phe Ser Val Ser Ser Gly		
370	375	380
Asp Glu Gly Val Tyr Glu Cys Asn Asn Arg Gly Tyr Pro Asp Gly Ser		
385	390	395 400
Thr Tyr Ser Val Ser Trp Pro Ala Ser Ser Pro Asn Val Ile Ala Val		
405	410	415
Gly Gly Thr Thr Leu Tyr Thr Thr Ser Ala Gly Ala Tyr Ser Asn Glu		
420	425	430
Thr Val Trp Asn Glu Gly Leu Asp Ser Asn Gly Lys Leu Trp Ala Thr		
435	440	445
Gly Gly Gly Tyr Ser Val Tyr Glu Ser Lys Pro Ser Trp Gln Ser Val		
450	455	460
Val Ser Gly Thr Pro Gly Arg Arg Leu Leu Pro Asp Ile Ser Phe Asp		
465	470	475 480
Ala Ala Gln Gly Thr Gly Ala Leu Ile Tyr Asn Tyr Gly Gln Leu Gln		
485	490	495
Gln Ile Gly Gly Thr Ser Leu Ala Ser Pro Ile Phe Val Gly Leu Trp		
500	505	510
Ala Arg Leu Gln Ser Ala Asn Ser Asn Ser Leu Gly Phe Pro Ala Ala		
515	520	525
Ser Phe Tyr Ser Ala Ile Ser Ser Thr Pro Ser Leu Val His Asp Val		
530	535	540
Lys Ser Gly Asn Asn Gly Tyr Gly Gly Tyr Gly Tyr Asn Ala Gly Thr		
545	550	555 560

Ser Ala Tyr Ile Arg Ser Asn Gly Phe Gly His  
580 585

(2) INFORMATION FOR SEQ ID NO:5:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 635 amino acids  
(B) TYPE: amino acid  
(C) STRANDEDNESS: single  
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

Met Lys Ile Glu Lys Thr Ala Leu Thr Val Ala Ile Ala Leu Ala Met  
1 5 10 15

Ser Ser Leu Ser Ala His Ala Glu Asp Ala Trp Val Ser Thr His Thr  
20 25 30

Gln Ala Ala Met Ser Pro Pro Ala Ser Thr Gln Val Leu Ala Ala Ser  
35 40 45

Ser Thr Ser Ala Thr Thr Thr Gly Asn Ala Tyr Thr Leu Asn Met Thr  
50 55 60

Gly Ser Pro Arg Ile Asp Gly Ala Ala Val Thr Ala Leu Glu Ala Asp  
65                      70                      75                      80

His Pro Leu His Val Glu Val Ala Leu Lys Leu Arg Asn Pro Asp Ala			
	85	90	95
Leu Gln Thr Phe Leu Ala Gly Val Thr Thr Pro Gly Ser Ala Leu Phe			
	100	105	110
Gly Lys Phe Leu Thr Pro Ser Gln Phe Thr Glu Arg Phe Gly Pro Thr			
	115	120	125
Gln Ser Gln Val Asp Ala Val Val Ala His Leu Gln Gln Ala Gly Phe			
	130	135	140
Thr Asn Ile Glu Val Ala Pro Asn Arg Leu Leu Ile Ser Ala Asp Gly			
	145	150	155
			160
Thr Ala Gly Ala Ala Thr Asn Gly Phe Arg Thr Ser Ile Lys Arg Phe			
	165	170	175
Ser Ala Asn Gly Arg Glu Phe Phe Ala Asn Asp Ala Pro Ala Leu Val			
	180	185	190
Pro Ala Ser Leu Gly Asp Ser Val Asn Ala Val Leu Gly Leu Gln Asn			
	195	200	205
Val Ser Val Lys His Thr Leu His His Val Tyr His Pro Glu Asp Val			
	210	215	220
Thr Val Pro Gly Pro Asn Val Gly Thr Gln Ala Ala Ala Val Ala			
	225	230	235
			240
Ala His His Pro Gln Asp Phe Ala Ala Ile Tyr Gly Gly Ser Ser Leu			
	245	250	255
Pro Ala Ala Thr Asn Thr Ala Val Gly Ile Ile Thr Trp Gly Ser Ile			
	260	265	270
Thr Gln Thr Val Thr Asp Leu Asn Ser Phe Thr Ser Gly Ala Gly Leu			



275	280	285
Ala Thr Val Asn Ser Thr Ile Thr Lys Val Gly Ser Gly Thr Phe Ala		
290	295	300
Asn Asp Pro Asp Ser Asn Gly Glu Trp Ser Leu Asp Ser Gln Asp Ile		
305	310	315 320
Val Gly Ile Ala Gly Gly Val Lys Gln Leu Ile Phe Tyr Thr Ser Ala		
	325	330 335
Asn Gly Asp Ser Ser Ser Ser Gly Ile Thr Asp Ala Gly Ile Thr Ala		
	340	345 350
Ser Tyr Asn Arg Ala Val Thr Asp Asn Ile Ala Lys Leu Ile Asn Val		
	355	360 365
Ser Leu Gly Glu Asp Glu Thr Ala Ala Gln Gln Ser Gly Thr Gln Ala		
	370	375 380
Ala Asp Asp Ala Ile Phe Gln Gln Ala Val Ala Gln Gly Gln Thr Phe		
385	390	395 400
Ser Ile Ala Ser Gly Asp Ala Gly Val Tyr Gln Trp Ser Thr Asp Pro		
	405	410 415
Thr Ser Gly Ser Pro Gly Tyr Val Ala Asn Ser Ala Gly Thr Val Lys		
	420	425 430
Ile Asp Leu Thr His Tyr Ser Val Ser Glu Pro Ala Ser Ser Pro Tyr		
	435	440 445
Val Ile Gln Val Gly Gly Thr Thr Leu Ser Thr Ser Gly Thr Thr Trp		
	450	455 460
Ser Gly Glu Thr Val Trp Asn Glu Gly Leu Ser Ala Ile Ala Pro Ser		
465	470	475 480

Gln Gly Asp Asn Asn Gln Arg Leu Trp Ala Thr Gly Gly Gly Val Ser  
                             485                            490                            495

Leu Tyr Glu Ala Ala Pro Ser Trp Gln Ser Ser Val Ser Ser Ser Thr  
                             500                            505                            510

Lys Arg Val Gly Pro Asp Leu Ala Phe Asp Ala Ala Ser Ser Ser Gly  
                             515                            520                            525

Ala Leu Ile Val Val Asn Gly Ser Thr Glu Gln Val Gly Gly Thr Ser  
                             530                            535                            540

Leu Ala Ser Pro Leu Phe Val Gly Ala Phe Ala Arg Ile Glu Ser Ala  
                             545                            550                            555                            560

Ala Asn Asn Ala Ile Gly Phe Pro Ala Ser Lys Phe Tyr Gln Ala Phe  
                             565                            570                            575

Pro Thr Gln Thr Ser Leu Leu His Asp Val Thr Ser Gly Asn Asn Gly  
                             580                            585                            590

Tyr Gln Ser His Gly Tyr Thr Ala Ala Thr Gly Phe Asp Glu Ala Thr  
                             595                            600                            605

Gly Phe Gly Ser Phe Asp Ile Gly Lys Leu Asn Thr Tyr Ala Gln Ala  
                             610                            615                            620

Asn Trp Val Thr Gly Gly Gly Gly Gly Ser Thr  
                             625                            630                            635

(2) INFORMATION FOR SEQ ID NO:6:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(A) DESCRIPTION: /desc = "Oligonucleotides"

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

GTGATCACAG AATGGCACTT

20

(2) INFORMATION FOR SEQ ID NO:7:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 20 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(A) DESCRIPTION: /desc = "Oligonucleotides"

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

AACATGGGTT TCCGTAGGTC

20

(2) INFORMATION FOR SEQ ID NO:8:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 20 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(A) DESCRIPTION: /desc = "Oligonucleotides"

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

CTTCCTCAGG GTCCGCACGG

20

(2) INFORMATION FOR SEQ ID NO:9:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 38 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(A) DESCRIPTION: /desc = "Oligonucleotides"

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

TGTAAAACGA CGGCCAGTCA GACCTTCCAG TAGGGACC

38

(2) INFORMATION FOR SEQ ID NO:10:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 38 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

## (ii) MOLECULE TYPE: other nucleic acid

- (A) DESCRIPTION: /desc = "Oligonucleotides"

## (iii) HYPOTHETICAL: NO

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

CAGGAAACAG CTATGACCCT GTATCCCACA CAAGAGAT

38

## (2) INFORMATION FOR SEQ ID NO:11:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 38 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

## (ii) MOLECULE TYPE: other nucleic acid

- (A) DESCRIPTION: /desc = "Oligonucleotides"

## (iii) HYPOTHETICAL: NO

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

TGTAAAACGA CGGCCAGTTA GATGCCATTG GGGACTGG

38

## (2) INFORMATION FOR SEQ ID NO:12:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 39 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

## (ii) MOLECULE TYPE: other nucleic acid

- (A) DESCRIPTION: /desc = "Oligonucleotides"

## (iii) HYPOTHETICAL: NO

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

CAGGAAACAG CTATGACCGT CATGGAAATA CTGCTCCA